## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions and listings of claims in the application:

## **LISTING OF CLAIMS:**

- 1. (original): A method of optimizing the performance of a mobile radio system in which different transfer modes correspond to different bit rates corresponding to different modulation schemes and the protocol architecture uses a radio link control layer that can operate in an acknowledged mode or in a non-acknowledged mode, in which method, in a transfer mode corresponding to the highest bit rates, acknowledgment information is sent in the non-acknowledged mode from a radio link control receiver to a radio link control sender and can be taken into account by the radio link control sender.
- 2. (original): A method according to claim 1, wherein said transfer modes include the General Packet Radio Service (GPRS) mode and the Enhanced General Packet Radio Service (EGPRS) mode.
- 3. (previously presented): A method according to either claim 1, wherein said acknowledgment information includes a Starting Sequence Number (SSN) and a Received Block Bitmap (RBB) sent in an acknowledgment/non-acknowledgment (ACK/NACK) message.

3

Amendment under 37 C.F.R. § 1.111 U.S. Serial No. 10/765,133

Attorney Docket No.: Q79492

- 4. (previously presented): A method according to claim 1, wherein said acknowledgment information is taken into account by an RLC sender to estimate transmission quality.
- 5. (original): A method according to claim 4, wherein said transmission quality estimate is used for radio link adaptation.
- 6. (previously presented): A mobile station including means for implementing a method according to claim 1.
- 7. (previously presented): Mobile radio network equipment, including means for implementing a method according to claim 1.
- 8. (previously presented): A mobile radio system including means for implementing a method according to claim 1.
- 9. (new): A method of claim 1, wherein the non-acknowledged mode is General Packet Radio Service (GPRS) mode or Temporary Block Flow (TBF) mode.

4

10. (new): A mobile station comprising:

a radio link control (RLC) transmitter which receives acknowledgement/non-acknowledgement (ACK/NACK) messages transmitted by an RLC receiver, said messages comprising a start sequence number (SSN) and a received block bitmap (RRB); and

a mean for, in a transfer mode corresponding to Enhanced General Packet Radio Service (EGPRS), taking into account SSN and RRB information transmitted in a non-acknowledged mode.

11. (new): A mobile radiocommunication network equipment comprising:
a radio link control (RLC) transmitter which receives acknowledgement/nonacknowledgement (ACK/NACK) messages transmitted by an RLC receiver, said messages
comprising a start sequence number (SSN) and a received block bitmap (RRB); and

a mean for, in a transfer mode corresponding to Enhanced General Packet Radio Service (EGPRS), taking into account SSN and RRB information transmitted in a non-acknowledged mode.

5